



PHARMA

*Good Health, **Better Life***

GEBEDOL

Paracetamol & Diclofenac Sodium Tablets

Each uncoated tablet contains:

Paracetamol	BP	500 mg
Diclofenac Sodium	BP	50 mg
Excipients		q.s.



6 x 1 x 10 Tablets

Indication: Effective relief from pain and fever.

GEBEMOL

Paracetamol Injection 600 mg/ 4 ml

Each 4 ml contains:
Paracetamol BP 600mg



2 x 5 x 4 ml & 2 x 5 x 2 ml

Paracetamol Injection 300 mg/ 2 ml

Each 2 ml contains:
Paracetamol BP 300mg

Indication: Pain Reliever & Fever Reducer

GEBEDOL XTRA

Ibuprofen, Paracetamol and Caffeine Tablets

Each uncoated tablet contains :

Ibuprofen	BP	400 mg
Paracetamol	BP	500 mg
Caffeine (Anhydrous)	BP	30 mg
Excipients		q.s.
Colour: Erythrosine		



10 x 10 Tablets

Indication: Pain, Fever, Cold and flu

GEBEDICLO 50

Gastro-resistant Diclofenac Tablets BP 50 mg

Each enteric coated tablet contains :

Diclofenac Sodium	BP	50 mg
Excipients		q.s.

Colour: Sunset Yellow FCF



1 x 10 Tablets

Indication: Nonsteroidal anti-inflammatory

GEBECAM

Piroxicam Capsule BP 20 MG

Each hard gelatin capsule contains :

Piroxicam BP (as pellets)	20 mg
Excipients	q.s.

Approved colours used in empty hard gelatine capsule shells.



10 X 10 Capsules

Indication: Rheumatoid Arthritis Medications

CAFFIDOL

ACETAMINOPHEN AND CAFFEINE TABLETS USP

Each uncoated tablet Contains:

Acetaminophen USP	650 mg
Caffeine (Anhydrous) USP	30 mg
Excipients	q.s.



1 x 10 Tablets

Indication: Pain reliever and a fever reducer


GEBEMOL 125

Paracetamol Oral Suspension BP 125 mg/5ml

Each 5 ml contains :

Paracetamol BP	125 mg
Flavoured Syrupy Base	q.s.

Colour: Erythrosine



100 ml

Indication: other analgesics and antipyretics

GBTRAM 50

Tramadol Capsules BP 50 mg

Each hard gelatin capsule contains:

Tramadol Hydrochloride BP	50mg
Excipients	q.s.

Approved color used in empty hard gelatin capsule shells.



10 X 10 Capsules

Indication: Opioid Analgesics

GEBEDOL FORTE

Diclofenac sodium, Acetaminophen & Chlorzoxazone Tablets

Each uncoated tablet contains:

Diclofenac Sodium	USP	50 mg
Acetaminophen	USP	500 mg
Chlorzoxazone	USP	250 mg
Excipients		q.s.
Colour: Erythrosine		



6 x 10 Tablets

Indication: Fast & Effective relief from pain and inflammation.

GEBEDOL PLUS

Paracetamol 500mg, Diclofenac Sodium 50mg and Caffeine 30mg Capsule

Each hard gelatin capsule contains :

Paracetamol BP	500 mg
Diclofenac Sodium BP	50 mg
Caffeine (Anhydrous) BP	30 mg
Excipients	q.s.

Approved Colour used in empty hard gelatin capsule shells.



10 x 1 x 10 Capsules

Indication: Analgesics, Anti-Inflamtry, Antirheumatic and CNS Stimulant

CETA IBU PLUS

Paracetamol 325mg, Ibuprofen 200mg, Caffeine 30mg Capsule

Each Hard gelatin capsule contains :

Paracetamol BP	325 mg
Ibuprofen BP	200 mg
Caffeine (Anhydrous) BP	30 mg
Excipients	q.s.

Approved colours used in empty hard gelatin capsule shells



2 x 10 Capsules

Indication: Analgesics, NSAIDs, CNS Stimulant

GEBEDICLO 100

Gastro-resistant Diclofenac Tablets BP 100 mg

Each enteric coated tablet contains :

Diclofenac Sodium	BP	100 mg
Excipients		q.s.

Colour: Sunset Yellow FCF



1 x 10 Tablets

Indication: Nonsteroidal anti-inflammatory

GEBEDICLO

Diclofenac Sodium Injection 75 mg/3 ml

Each ml contains :

Diclofenac Sodium	BP	25 mg
Benzyl Alcohol (As Preservative)	BP	4% v/v
Water for Injection	BP	q.s.



10 x 3 ml

Indication: nonsteroidal anti-inflammatory

CLOPIMOL

Aceclofenac 100 mg and Paracetamol 500 mg Tablets

Each uncoated tablet contains:

Aceclofenac BP	100 mg
Paracetamol BP	500 mg
Excipients	q.s.



1 x 10 Tablets

Indication: Analgesics, and Antipyretics

CETA-IBU SUSPENSION

IBUPROFEN AND PARACETAMOL ORAL SUSPENSION

Each 5 ml contains:

Ibuprofen BP	100 mg
Paracetamol BP	125 mg

Flavoured Syrup base qs

Color: Sunset Yellow FCF



60 ml

Indication: Nonsteroidal anti-inflammatory drug, cooling and pain-relieving


GBTRAM 100

Tramadol Capsules BP 100 mg

Each hard gelatin capsule contains :

Tramadol Hydrochloride BP	100 mg
Excipients	q.s.

Approved colour used in empty hard gelatin capsule shells.



10 x 10 Capsules

Indication: Opioid Analgesics

BUFRUN-200
Ibuprofen Tablets BP 200 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 200 mg
 Excipients q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



1 x 10 Tablets

BUFRUN-400
Ibuprofen Tablets BP 400 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 400 mg
 Excipients q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



1 x 10 Tablets

BUFRUN-200
Ibuprofen Tablets BP 200 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 200 mg
 Excipients q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



50 x 10 Tablets

BUFRUN-400
Ibuprofen Tablets BP 400 mg
 Each Film Coated Tablet Contains:
 Ibuprofen BP 400 mg
 Excipients q.s.
 Colour: Sunset Yellow & Titanium Dioxide BP



50 x 10 Tablets

CARTEF-DS 80/480
Artemether 80 mg + Lumefantrine 480 mg Tablets
 Each uncoated tablet contains:
 Artemether 80 mg
 Lumefantrine USP 480 mg
 Excipients qs



6 Tablets

CARTEF 20/120
Artemether 20 mg + Lumefantrine 120 mg Tablets
 Each uncoated tablet contains:
 Artemether 20 mg
 Lumefantrine USP 120 mg
 Excipients qs



24 Tablets

CARTEF 20/120
Artemether 240 mg and Lumefantrine 1440 mg for Oral Suspension
 Each 5 ml Suspension After reconstitution contains :
 Artemether 20 mg
 Lumefantrine USP 120 mg
 Excipients q.s.
 Colour : Sunset yellow FCF



60 ml

GB-ART
Artemether Injection 80 mg/ml
 Each ml contains :
 Artemether 80mg
 Ethyl Oleate BP Q.S.



6 x 1 ml Ampoules

CARTESUNAT-30
Artesunate for Injection 30 MG
 Each Combi pack Contains:
 (A) One Vial of Artesunate for Injection
 Each Via Contains:
 Artesunate (Sterile) 30 mg
 (B) One ampoule of 0.5 ml Sodium Bicarbonate Injection BP 5.0% w/v
 (C) One ampoule of 2.5 ml Sodium Chloride 0.9% w/v



1 Combi pack

CARTESUNAT-60
Artesunate for Injection 60 MG
 Each Combi pack Contains:
 (A) One Vial of Artesunate for Injection
 Each Via Contains:
 Artesunate (Sterile) 60 mg
 (B) One ampoule of 1 ml Sodium Bicarbonate Injection BP 5.0% w/v
 (C) One ampoule of 5 ml Sodium Chloride 0.9% w/v



1 Combi pack

CARTESUNAT-120
Artesunate for Injection 120 MG
 Each Combi pack Contains:
 (A) One Vial of Artesunate for Injection
 Each Via Contains:
 Artesunate (Sterile) 120 mg
 (B) One ampoule of 2 ml Sodium Bicarbonate Injection BP 5.0% w/v
 (C) One ampoule of 10 ml Sodium Chloride 0.9% w/v




1 Combi pack

STAGYL
Secnidazole Tablets 1 gm
 Each film coated tablet contains :
 Secnidazole 1 gm
 Excipients q.s.
 Colour: Titanium Dioxide BP




1 x 2 Tablets

GEBEFLUC-150
Fluconazole capsules 150 mg
 Each hard gelatin capsule contains:
 Fluconazole USP 150 mg
 Excipients q.s.
 Approved colours used in hard gelatin capsule shells.



1 x 1 Capsule

GEBEFLUC-200
Fluconazole capsules 200 mg
 Each hard gelatin capsule contains:
 Fluconazole USP 200 mg
 Excipients q.s.
 Approved colours used in hard gelatin capsule shells.



1 x 4 Capsules

VAGINAX CREAM
Clotrimazole Vaginal cream USP 2% w/w
 Composition:
 Clotrimazole USP 2% w/w
 Cream base q.s.



30 gm with applicator

VAGINAX-100
Clotrimazole Vaginal Tablets USP
 Each uncoated vaginal tablet contains:
 Clotrimazole USP 100 mg
 Excipients q.s.



1 x 6 Tablets with applicator

Indication: Vaginal yeast infections.


Indication: Vaginal yeast infections.

OXYNIC 1.2

Amoxicillin and Potassium Clavulanate Injection BP 1.2 gm

Each vial contains:

Amoxicillin Sodium (sterile)	BP	
Eq. to Amoxicillin		1000 mg
Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		200 mg



1 Combi Pack


Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC 600

Amoxicillin and Potassium Clavulanate Injection BP 600 mg

Each vial contains:

Amoxicillin Sodium (sterile)	BP	
Eq. to Amoxicillin		500 mg
Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		100 mg



1 Combi Pack


Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC 1000

Amoxicillin and Potassium Clavulanate Tablets BP

Each film coated tablet contains:

Amoxicillin Trihydrate	BP	
Eq. to Amoxicillin		875 mg
Diluted Potassium Clavulanate	BP	
Eq. to Clavulanic acid		125 mg



2 x 7 Tablets

Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, genital & Urinary Tract Infections, infections of the skin & soft tissues.

OXYNIC 625

Amoxicillin and Potassium Clavulanate Tablets BP

Each film coated tablet contains:

Amoxicillin Trihydrate	BP	
Eq. to Amoxicillin		500 mg
Diluted Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		125 mg



2 x 7 Tablets


Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, genital & Urinary Tract Infections, infections of the skin & soft tissues.

OXYNIC 375

Amoxicillin and Potassium Clavulanate Tablets BP

Each film coated tablet contains:

Amoxicillin Trihydrate	BP	
Eq. to Amoxicillin		250 mg
Diluted Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		125 mg



2 x 7 Tablets


Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, genital & Urinary Tract Infections, infections of the skin & soft tissues.

OXYNIC 228.5 mg / 5 ml

Amoxicillin and Potassium Clavulanate oral suspension BP

Each 5 ml of the reconstituted suspension contains:

Amoxicillin Trihydrate	BP	
equivalent to Amoxicillin		200 mg
Diluted Potassium Clavulanate	BP	
equivalent to Clavulanic Acid		28.5 mg



100 ml

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC SUSPENSION 457mg / 5ml

Amoxicillin and Potassium Clavulanate oral suspension BP

Each 5 ml of the reconstituted suspension contains:

Amoxicillin Trihydrate	BP	
Eq. to Amoxicillin		400 mg
Diluted Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		57 mg



70 ml

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

OXYNIC SUSPENSION 312.5mg / 5ml

Amoxicillin and Potassium Clavulanate oral suspension BP

Each 5 ml of the reconstituted suspension contains:

Amoxicillin Trihydrate	BP	
Eq. to Amoxicillin		250 mg
Diluted Potassium Clavulanate	BP	
Eq. to Clavulanic Acid		62.5 mg



70 ml

Indication: URTI, Lower RTI, genital & UTI, infections of the skin & soft tissues.

GEBECIP-500

Ciprofloxacin Tablets USP 500 mg

Each film coated tablet contains:

Ciprofloxacin hydrochloride	USP	
Eq. to Ciprofloxacin		500 mg
Excipients		q.s.

Colour: Titanium Dioxide BP



1 x 10 Tablets

Indication: Bacterial infections

GEBECIP-750

Ciprofloxacin Tablets USP 750 mg

Each film coated tablet contains:

Ciprofloxacin hydrochloride	USP	
Eq. to ciprofloxacin		750 mg
Excipients		q.s.

Colour: Titanium Dioxide BP



1 x 10 Tablets

Indication: Bacterial infections

GEBECIP EYE / EAR DROP

Ciprofloxacin Ophthalmic Solution

Composition:

Ciprofloxacin Hydrochloride USP	
Eq. to Ciprofloxacin	0.3% w/v
Benzalkonium Chloride Solution BP	0.02% v/v (As Preservative)
Sterile Aqueous Vehicle	Q.S.



10 ml

Indication: Bacterial Infection of Eye

FASIPRO

Tinidazole and Ciprofloxacin Tablets

Each film coated tablet contains:

Tinidazole	BP	600 mg
Ciprofloxacin hydrochloride	BP	
Eq. to Ciprofloxacin		500 mg
Excipients		q.s.

Colour: Quinoline Yellow



1 x 10 Tablets

Indication: Broad spectrum antibiotic, Amoebicide and Trichomoniasis treatment.

GEBETAX

Cefotaxime for Injection USP 500 mg

Composition :

This pack contains

- 1 vial containing : Sterile Cefotaxime Sodium USP equivalent to Cefotaxime 500mg
- Sterile Water for Injection USP 5ml



1 Combi Pack

Indication: Antibiotic

GEBETAX

Cefotaxime for Injection USP 1000 mg

Composition :

This pack contains

- 1 vial contains : Sterile Cefotaxime Sodium equivalent to Cefotaxime 1000 mg
- Sterile Water for Injection USP 10 ml



1 Combi Pack

Indication: Antibiotic

Gebemer

Meropenem USP 1 gm

Each CombiPack contains :

- Each Vial Contains : Meropenem USP (Anhydrous) 1gm

A vial Contains 90.2 mg of Sodium As Sodium Carbonate

- Sterilised Water for Injection BP 20ml



1 Vial + 20 ml WFI

Indication: Anti-bacterials for Systemic use, Carbapenems

Imicila

Imipenem (Anhydrous imipenem) USP 500mg & Cilastatin (Anhydrous Cilastatin) USP 500mg

Each vial Contains :

Imipenem USP eq. to Anhydrous Imipenem	500mg
Cilastatin sodium USP eq. to Anhydrous Cilastatin	500mg
Sodium Bicarbonate USP	
Added AS Buffer.	



1 Vial


Indication: Antibacterials for systemic use carbapenems

GEBEXIME 250

Cefuroxime Axetil Tablets USP 250 mg

Each film coated tablet contains:

Cefuroxime Axetil	USP
Eq. to Cefuroxime	250 mg
Excipients	q.s.
Colour: Titanium Dioxide BP	



Indication: Bacterial infections


1 x 10 Tablets

GEBEXIME 500

Cefuroxime Axetil Tablets USP 500 mg

Each film coated tablet contains:

Cefuroxime Axetil	USP
Eq. to Cefuroxime	500 mg
Excipients	q.s.
Colour: Titanium Dioxide BP	



Indication: Bacterial infections

1 x 10 Tablets

GEBEXIME SUSPENSION

Cefuroxime Axetil for oral suspension USP 125mg/5ml

Each 5ml of the reconstituted suspension contains:

Cefuroxime Axetil	USP
Eq. to Cefuroxime	125 mg
Excipients	q.s.
Colour: Sunset Yellow FCF	



Indication: Bacterial infections


70 ml

GEBEXIME

Cefuroxime for Injection USP 750 mg

This package contain:

- 1 vial contains
Sterile Cefuroxime Sodium USP 750 mg
Eq. to Cefuroxime 750 mg
- Sterile water for injection USP 10 ml



Indication: Bacterial infections


1 Combi Pack

IDICEF 100

Cefixime Dispersible Tablets 100 mg

Each uncoated dispersible tablet contains :

Cefixime (as Trihydrate)	USP
Eq. to Anhydrous Cefixime	100 mg
Excipients	q.s.
Colour: Erythrosine	



Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, Urinary Tract Infections.

1 x 10 Tablets

IDICEF 200

Cefixime Dispersible Tablets 200 mg

Each uncoated dispersible tablet contains :

Cefixime (as Trihydrate)	USP
Eq. to Anhydrous Cefixime	200 mg
Excipients	q.s.
Colour: Erythrosine	



Indication: Upper Respiratory Tract Infections (URTI), Lower Respiratory Tract Infection, Urinary Tract Infections.


1 x 10 Tablets

IDICEF SUSPENSION

Cefixime for oral suspension USP 100mg/5ml

Each 5 ml of reconstituted suspension contains:

Cefixime (As Trihydrate)	USP
Eq. to Anhydrous Cefixime	100 mg
Excipients	q.s.
Colour: Tartrazine	



Indication: Bacterial infections


30 ml

AZIGLOBE ORAL SUSPENSION

Azithromycin for Oral Suspension USP 200 mg/5 ml

Each 5 ml of reconstituted suspension contains :

Azithromycin	USP
Eq. to Anhydrous Azithromycin	200 mg
Excipients	q.s.
Colour: Tartrazine	
In Flavor Base	



Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.

15 ml

AZIGLOBE-250

Azithromycin Tablets USP 250 mg

Each film coated tablet contains :

Azithromycin Dihydrate USP	
Eq. to Anhydrous Azithromycin	250 mg
Excipients	q.s.
Colour: Tartrazine	



Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.

1 x 6 Tablets

AZIGLOBE-500

Azithromycin Tablets USP 500 mg

Each film coated tablet contains :

Azithromycin Dihydrate	USP
Eq. to Anhydrous Azithromycin	500 mg
Excipients	q.s.
Colour: Tartrazine	



Indication: Acute bacterial sinusitis, otitis media, Pharyngitis, tonsillitis, chronic bronchitis, pneumonia.

1 x 3 Tablets

GEBECEP 500MG INJ

Ceftriaxone for Injection USP 500 mg

Each Pack contains:

Sterile Ceftriaxone Sodium	USP
Eq. to Anhydrous Ceftriaxone	500 mg



Indication: Bacterial Infections

1 Combi Pack

GEBECEP

Ceftriaxone for Injection USP 1 g

Each pack contains:

- (1) Each Vial contains:
Ceftriaxone Sodium USP 1 gm
Eq. to Ceftriaxone 1 gm
- (2) Sterilised water for Injection BP 10 ml



Indication: Bacterial infections

1 Combi Pack

Ethrom 250

Erythromycin stearate tablets BP 250 mg

Each film coated tablet contains :

Erythromycin Stearate BP	
Equivalent to Erythromycin	250mg
Excipients	q.s.
Colour: Erythrosin & Titanium Dioxide BP	



Indication: Macrolide Antibacterial

10 X 10 Tablets

Ethrom 500

Erythromycin stearate tablets BP 500 mg

Each film coated tablet contains :

Erythromycin Stearate BP	
Eq. to Erythromycin	500 mg
Excipients	qs
Colour: Erythrosine & Titanium Dioxide BP	



Indication: Macrolide Antibacterial

10 X 10 Tablets

ETHROM

Erythromycin Ethylsuccinate for oral Suspension USP 125mg/5ml

Each 5 ml of reconstituted suspension contains:

Erythromycin Ethylsuccinate USP	
Eq. to Erythromycin	125 mg
Excipients	q.s.
Colour: Tartarazine	



Indication: Used to prevent certain bacterial infections.

100 ml

GEBECYN Eye / Ear Drops

Getamincin Eye Drops

Composition :

Getamincin Sulphate BP	0.3% v/v
Eq. to Gentamicin	0.02% v/v
Benzalkonium Chloride Solution BP (As Preservative)	
Sterile Aqueous Base	Q.S.



Indication: Bacterial Infection of Eye


10 ml

LISINOL-5

Lisinopril Tablets BP 5 mg

Each uncoated tablet contains:

Lisinopril Dihydrate BP	
Eq. to Anhydrous Lisinopril	5 mg
Excipients	qs



Indication: Treating high blood pressure, heart failure

2 x 14 Tablets

LISINOL-10

Lisinopril Tablets BP 10 mg

Each uncoated tablet contains:

Lisinopril Dihydrate BP	
Eq. to Anhydrous Lisinopril	10 mg
Excipients	qs



Indication: Treating high blood pressure, heart failure

2 x 14 Tablets

LISINOL-20

Lisinopril Tablets BP 20 mg

Each uncoated tablet contains:

Lisinopril Dihydrate BP	
Eq. to Anhydrous Lisinopril	20 mg
Excipients	qs



Indication: Treating high blood pressure, heart failure

2 x 14 Tablets

PINFED SR-20

Nifedipine Sustained Release Tablets 20mg

Each film coated sustained release tablet contains:

Nifedipine	BP	20 mg
Excipients		q.s.

Colour: Sunset Yellow FCF



Indication: For the treatment of hypertension.

10 x 10 Tablets

WINDEPIN-5

Amlodipine Besylate Tablets USP 5 mg

Each uncoated tablet contains :

Amlodipine Besylate USP	
Eq. to Amlodipine	5 mg
Excipients	q.s.



Indication: Hypertension and angina.


2 x 14 Tablets

WINDEPIN-10

Amlodipine Besylate Tablets USP 10 mg

Each uncoated tablet contains :

Amlodipine Besylate USP	
Eq. to Amlodipine	10 mg
Excipients	q.s.



Indication: Hypertension and angina.

2 x 14 Tablets

NUTRACID - D

Dried aluminium hydroxide, magnesium hydroxide, Dimethicone & sodium alginate suspension

Each 5 ml contains :

Aluminium Hydroxide Paste	
Eq. to Dried Aluminium Hydroxide BP	125 mg
Magnesium Hydroxide Paste	
eq. to Magnesium Hydroxide BP	250 mg
Dimethicone USP	50 mg
Sodium Alginate BP	100 mg
Flavoured Syrupy Base	q.s.

Indication : Antacid and Antiflatulents



200 ml

NUTRACID-O


Antiflatulent Antacid Suspension

Each 15ml Contains:

Alginic Acid	BP	200 mg
Magnesium Hydroxide	BP	250 mg
Dried Aluminium Hydroxide	BP	250 mg
Magnesium Trisilicate	BP	250 mg
Simethicone	USP	125 mg
Oxetacaine	BP	30 mg
Excipients		q.s.

Colour: Erythrosine

Indication : Antacid and Antiflatulents



200 ml

NUTRACID


Dried aluminium hydroxide, magnesium hydroxide, Simethicone & sodium alginate suspension

Each 5 ml Contains:

Aluminium Hydroxide Paste	
eq. to Dried Aluminium Hydroxide BP	125 mg
Magnesium Hydroxide Paste	
eq. to magnesium Hydroxide BP	250 mg
Simethicone USP	50 mg
Sodium Alginate	BP 100 mg
Flavoured Syrupy Base	Q.S.

Colour: Erythrosine

Indication : Antacid and Antiflatulents



200 ml

NUTRACID

Antacid Chewable Tablet Contains:

Each Uncoated Chewable Tablet Contains:

Simethicone	BP	50 mg
Magnesium Hydroxide	BP	250 mg
Dried Aluminium Hydroxide	BP	250 mg
Magnesium Aluminium Silicated Hydrate		50 mg
Excipients		Q.S.

Approved colour used.

Indication: Antacid



10 x 10 Tablets

OPIZOLE

Omeprazole Delayed Release Capsules USP 20 mg

Each hard gelatin capsule contains :

Omeprazole	USP	20 mg
(As enteric coated granules)		
Excipients		q.s.

Approved colours used in hard gelatin capsule shells.

Indication: Gastric and duodenal ulcers.



10 x 10 Capsules

OPIZOLE

Combipack of Omeprazole for Injection 40 mg & Sterilised Water for Injections BP 10 ml


Each Combipack Contains:

(A) One Vial of Omeprazole for Injection

Each Vial Contains:	
Omeprazole Sodium	
(Sterile And Lyophilized)	
Eq. to Omeprazole	40 mg

(B) One Ampoule of 10 ml Sterilised Water for Injections BP

Indication: Stomach & Esophagus Problems



1 Vial + 10 ml Diluent

PROMIDE

Loperamide Capsules BP 2 mg

Each hard gelatin capsule contains:

Loperamide Hydrochloride	BP	2 mg
Excipients		q.s.

Approved Colours used in empty capsule shells.

Indication: Diarrhea



10 x 10 Capsules

GB BABY GUARD GRIPE WATER

Gripe water

Each 5ml Contains:

Sajikhar (sodium bicarbonate) A.B.	45 mg
Suwa tel (Anethum Sowa) A.B.	0.00075ml
Variyail tel (Foeniculum vulgare) A.B.	0.000375ml
Jeera tel (Carum carvi) A.B.	0.000375ml
Pudina sat (Mentha Sylvestra) A.B.	0.5mg

Aqueous sugar base

Preservatives :

Sodium Benzoate BP, Sodium Methyl Paraben BP, Sodium Propyl Paraben BP

Indication: Colic and gastrointestinal discomfort



150 ml

FUMET SUSPENSION

Metronidazole & Furazolidone Suspension

Each 5 ml contains:

Metronidazole Benzoate	BP	100 mg
Eq. to Metronidazole		
Furazolidone	BP	50 mg
Flavored syrup base		q.s.

Colour: Tartrazine

Indication: Infectious diarrhea, bacillary dysentery



60 ml

METROZ

Metronidazole Oral Suspension BP 200mg/5ml

Each 5 ml contains :

Metronidazole benzoate BP	
Equivalent to Metronidazole	200 mg
Excipients	qs

Flavoured base

Colour: Tartrazine

Indication: Bacterial infections of the vagina, stomach, skin, joints, and respiratory tract.



100 ml

CETDRO

Cetirizine Hydrochloride Tablets 10 mg

Each film coated tablet contains :

Cetirizine			
Hydrochloride	BP	10 mg	
Excipients		q.s.	



10 x 10 Tablets

Indication: Allergy

BLOCOLD

Paracetamol, Caffeine, Phenylephrine Hydrochloride and Chlorphenamine Maleate tablets

Each uncoated tablet contains:

Paracetamol BP	500 mg	
Caffeine (anhydrous) BP	30 mg	
Phenylephrine HCl BP	10 mg	
Chlorpheniramine maleate BP	2 mg	
Excipients	q.s.	

Colour: Erythrosine



25 x 1 x 4 Tablets

Indication: Nasal congestion, Sinusitis and other symptoms of cold.

GEBEFIZZ

Soluble Paracetamol Tablets BP 500 mg

Each effervescent tablet contains:

Paracetamol	BP	500 mg
Excipients		q.s.



16 Effervescent Tablets

Indication: Analgesic and antipyretic

GEBEFIZZ-CZ

Contains	Per Tablet
Ascorbic Acid	1000 mg.
Zinc	10 mg.



20 Tablets / Tube

Indication: Immunity Booster

BLOKOF CHILD

Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride and Chlorpheniramine Maleate Oral Solution

Each 5 ml contains :

Dextromethorphan Hydrobromide USP	5 mg
Phenylephrine Hydrochloride USP	2.5 mg
Chlorpheniramine Maleate USP	1 mg
Flavoured Syrupy Base	q.s.

Colour: Ponceau 4R



100 ml

Indication: Cough suppressant, relief in cold, flu, allergies or other breathing illnesses

BLOKOF ADULT

Dextromethorphan Hydrobromide & Guifenesin Syrup

Each 5 ml contains :

Dextromethorphan Hydrobromide BP	10 mg
Guafenesin BP	2.5 mg
Flavoured Syrupy Base	q.s.

Colour: Tartrazine



100 ml

Indication: Cough suppressant and expectorant

BLOKOF FAMILY

Guafenesin Oral Solution USP

Each 5 ml contains :

Guafenesin USP	50 mg
Flavoured Syrupy Base	q.s.

Colour: Sunset Yellow



150 ml

Indication: Decongestant and expectorant

HERBLIF

COMPOSITION:

Amount per 5 ml

Vasaka (Adhatoda vasica) Leaf Extract	60 mg
Liquorice (Glycyrrhiza Glabra) Root Extract	30 mg
Clerodendron (Clerodendron serratum) Root Extract	30 mg
Sweet violet (Viola Odorata) Flower Extract	25 mg
Ginger (Zingiber Officinale) Rhizome Extract	4 mg
Long Pepper (Piper Longum) Fruit Extract	4 mg
Black Pepper (Piper Nigrum) Fruit Extract	4 mg
Turmeric (Curcuma Longa) Rhizome Extract	12.5 mg
Honey	500 mg
Mentha Piperita	7 mg
In Sugar Syrupy Base	Q.S



100 ml

Indication: Cough Relief

CARSTENE 2%

Carbocisteine Syrup 100 mg/5 ml

Each 5 ml Contains :

Carbocisteine	BP	100 mg
Flavoured Syrupy base		q.s.

Colour: Ponceau 4R



100 ml

Indication: mucolytic

CARSTENE 5%

Carbocisteine Syrup 250 mg/5 ml

Each 5 ml Contains :

Carbocisteine	BP	250 mg
Flavoured Syrupy base		q.s.

Colour: Ponceau 4R



100 ml

Indication: mucolytic

TACIZOL

Albendazole Tablets 400 mg

Each uncoated chewable tablet contains:

Albendazole	USP	400 mg
Excipients		qs

Colour: Sunset Yellow

Flavour: Orange



1 x 1 Tablets

Indication: treatment of roundworm, whipworm, pinworm/threadworm, hookworm, tapeworm and Strongyloides stercoralis.

TACIZOL SUSPENSION

Albendazole Oral Suspension USP

Each 5 ml contains:

Albendazole	USP	100 mg
Flavoured base		q.s.



20 ml

Indication: Treatment of roundworm, whipworm, pinworm/threadworm, hookworm, tapeworm and Strongyloides stercoralis.

DIAMET-500

Metformin Hydrochloride Tablets USP 500 mg

Each film coated tablet contains:

Metformin Hydrochloride	USP	500 mg
Excipients		Q.S.



10 x 10 Tablets

Indication: Diabetes mellitus.

ROYAL SKIN TONER

Key Ingredients

Herbal Extracts of Aloevera, Vitamin E, Glycerine & PEG6000



35 gm / 70 gm

Indication: Toner

ELECTROSOL

Oral Rehydration Salts BP

Each sachet contains:

Sodium Chloride	BP	2.6 gm
Potassium Chloride	BP	1.5 gm
Sodium Citrate	BP	2.9 gm
Anhydrous Glucose	BP	13.5 gm
Excipients		q.s.



25 x 20.6 gm Sachets

Indication: Oral rehydration therapy

ELECTROSOL-Z

Combi pack of Oral Rehydration Salt BP & Zinc Sulfate Tablets USP 20MG

Each combi pack Contains

1) Each sachet contains: (20.5mg)		
Anhydrous Glucose	BP	13.5 gm
Sodium Chloride	BP	2.6 gm
Sodium Citrate	BP	2.9 gm
Potassium Chloride	BP	1.5 gm
Excipients		q.s.

2) Each dispersible tablet contains:

Zinc sulfate USP		
Eq. to elemental Zinc		20mg
Excipients...		q.s.



2 Sachets + 1 X 10 Tablets

Indication: Oral rehydration

ZIPFERON CAPSULE

Iron, Folic Acid, Vitamic C, Vitamin B12 and Zinc Capsules

Each hard gelatin capsule contains :

Ferrous Fumarate	USP	305 mg	
(Eq. to Elemental Iron 100 mg)			
Folic Acid	USP	1.5 mg	
Cyanocobalamin (Vitamin B12)	USP	5 mcg	
Ascorbic Acid (Vitamin C)	USP	75 mg	
Zinc Sulfate Heptahydrate	USP	5 mg	
(Eq. to Elemental Zinc 1.137 mg)			
Excipients		q.s.	
Capsules shell contains approved colours.			



30 Capsules

Indication: Anaemia

ZIPFERON IRON SYRUP

Iron Polymaltose and Folic Acid Syrup

Composition.:

Each 5 ml contains	
Iron (III) Hydroxide Polymaltos Complex	50mg
Eq. to Elemental Iron	
Folic acid BP	500 mcg
Flavoured base	Q.S
Colour : Caramel	



200 ml


Indication: Iron Supplement

ZIPFERON SYRUP

FAC with multivitamin Syrup

Each 5 ml contains :

Ferric Ammonium Citrate	USP	160 mg	Vitamin C	BP	25 mg
Eq. to Elemental Iron		32 mg	D-Panthenol		2.5 mg
L-Lysine Hydrochloride	USP	25 mg	Flavoured Syrupy base		q.s.
Vitamin B1	BP	2.0 mg	Approved colours used.		
Vitamin B2	BP	1.5 mg			
Vitamin B6	BP	0.75 mg			
Vitamin B3	BP	25 mg			
Vitamin B12	BP	1.0 mcg			
Folic Acid	BP	0.3 mg			



200 ml


Indication: Iron and Vitamins Supplements

ZIPFERON FORTE SYRUP

Iron with Vitamin B12 and Folic Acid Syrup

Each 5ml contains:

Ferric ammonium citrate	USP	200 mg
(Eq. to elemental iron 41 mg)		
Vitamin B12	BP	50 mcg
Folic acid	BP	1.5 mg
Flavoured syrup base		q.s.
Colour: Caramel		



200 ml

Indication: Anaemia

SUMO ACTIVE TABLETS

Cyproheptadine HCl with Multivitamins Tablets

Each film coated tablet contains:

Cyproheptadine Hydrochloride BP	
Equi. to Anhydrous Cyproheptadine Hydrochloride	4.0 mg
Thiamine Hydrochloride (Vitamin B1) BP	1.5 mg
Riboflavin (Vitamin B2) BP	1.5 mg
Excipients	q.s.
Colour: Red oxide of iron	



2 x 10 Tablets

Indication: Allergy

SUMOACTIVE SYRUP

Cyproheptadine Hydrochloride, Lysine Hydrochloride, minerals with multivitamin syrup

Each 5 ml contains

Cyproheptadine Hydrochloride BP	
Eq. to Cyproheptadine Hydrochloride Anhydrous	2 mg
Lysine hydrochloride	BP 150 mg
Vitamin B1	BP 2 mg
Vitamin B2	BP 1 mg
(As Sodium Phosphate)	
Vitamin B6	BP 1 mg
Niacinamide	BP 7.5 mg
Zinc Sulphate	BP 7 mg
Manganese Sulphate	BP 0.8 mg



200 ml

Indication: Allergy, Appetite Stimulant

EUROVIT CAPSULE

Multivitamins with Minerals and Iron Capsules

Each hard gelatin capsule contains:

Vitamin A (as Acetate) BP	2500 I.U.	Ascorbic Acid (Vitamin C) BP	50 mg
Colecalciferol (Vitamin D3) BP	200 I.U.	Vitamin E BP	10 I.U.
Thiamine Hydrochloride (Vitamin B1) BP	2 mg	Dried Ferrous Sulfate BP	30 mg
Riboflavin (Vitamin B2) BP	3 mg	Copper Sulfate Pentahydrate BP	1 mg
Pyridoxine Hydrochloride (Vitamin B6) BP	1.5 mg	Zinc Sulfate Heptahydrate BP	2 mg
Nicotinamide BP	25 mg	Potassium Iodide BP	100 mcg
Calcium Pantothenate BP	5 mg	Light Magnesium Oxide BP	10 mg
Folic Acid BP	300 mcg	Magnesium Sulfate	
Cyanocobalamin (Vitamin B12)	1 mcg	Heptahydrate	BP 1 mg
Excipients		Excipients	q.s.
Capsule shell contains approved colours.			



30 Capsules

Indication: Vitamins and mineral supplement

EUROVIT

Multivitamin Drops

Each 0.6 ml of liquid drops contains :

Vitamin A (as Palmitate)	BP 1333 I.U.
Ergocalciferol (Vitamin D2)	BP 400 I.U.
Thiamine Hydrochloride (Vitamin B1)	BP 0.4 mg
Riboflavin (Vitamin B2)	BP 0.8 mg
Pyridoxine Hydrochloride (Vitamin B6)	BP 0.8 mg
Nicotinamide	BP 8.0 mg
Ascorbic Acid (Vitamin C)	BP 40 mg
Excipients	q.s.



25 ml

Indication: Vitamins and mineral supplement

AMINOTOP-C

Amino Acid & Vitamin-C Drops

Amino Acids & Vitamin-C Drops

Each ml contains :	
L-Threonine	USP 0.85 mg
L-Valine	USP 1.34 mg
L-Methionine	USP 1.84 mg
L-Isoleucine	USP 1.18 mg
L-Leucine	USP 3.66 mg
L-Phenylalanine	USP 1.0 mg
L-Tryptophan	USP 1.0 mg
L-Lysine Hydrochloride	USP 5.0 mg
Ascorbic Acid	BP 100 mg
In a Flavoured Syrupy Base	qs
Colour : Approved colour used	
Appropriate Overages of Vitamins are added to compensate loss on storage.	



15 ml

Indication: Prevention of Vitamin Deficiencies

AMINOTOP SYRUP

Multivitamin and Amino Acids Syrup

Chaque 15 ml contains:

L- Arginie Hydrochloride	USP 13.28 mg	Vitamin A Concentrate (Oil form)	2500IU
L- Histidine Hydrochloride		Cholecalciferol	BP 200 IU
Monohydrate	USP 3.71 mg	Tocopheryl Acetate	BP 7.5 IU
L- Leucine	USP 18.30 mg	Thiamine Hydrochloride	BP 5.6 mg
L- Isoleucine	USP 5.9 mg	Riboflavin	
L- Lysine Hydrochloride	USP 25 mg	(As Riboflavin Sodium Phosphate)	BP 3.0 mg
L- Methionine	USP 9.2 mg	Nicotinamide	BP 25 mg
L- Phenylalanine	USP 5 mg	Calcium Pantothenate	BP 5 mg
L- Threonine	USP 4.20 mg	Pyridoxine Hydrochloride	BP 1.5 mg
L- Valine	USP 6.7 mg	Cyanocobalamin	BP 2.5 mcg
		Ascorbic Acid	BP 40 mg
		Folic Acid	BP 0.75 mg
		Flavoured Syrupy base	q.s



200 ml

Colour: Approved colour used

Indication: Vitamins and Mineral Supplements

Nutritem

Amino Acid,Choline with Multivitamin Syrup

Each 15 ml contains :

DL-Methionine	USP	100 mg
Choline Dihydrogen Citrate	NF	100 mg
Riboflavin		
(As Riboflavin Sodium Phosphate)	BP	3 mg
Thiamine Hydrochloride	BP	3 mg
Pyridoxine Hydrochloride	BP	1.5 mg
Nicotinamide	BP	22.50 mg
Dexpantenol	BP	4.5 mg
Biotin	USP	0.1 mg
Folic Acid	BP	0.5 mg
Cyanocobalamin	BP	3 mcg
Alpha Tocopheryl Acetate	BP	7.5 IU
Flavoured Syrupy Base		qs
Colour : Approved colour used		
Appropriate Overages of Vitamins are added to compensate loss or storage.		



200 ml

Indication: Vitamins & Choline Supplement

Gebelac-Z

Lactobacillus, Vitamins and Zinc Capsules

Each Capsule contains:

Lactic Acid Bacillus IHS		60 Million Spores
Thiamine Nitrate	BP	10 mg
Riboflavin	BP	10 mg
Pyridoxine Hydrochloride	BP	3 mg
Nicotinamide	BP	50 mg
Ascorbic Acid	BP	150 mg
Zinc Sulphate Monohydrate	USP	50 mg
Approved Colours used in the capsule shell.		



3 x 10 Capsules

Indication: Probiotic with Multivitamins

GEBECODE

Each 5 ml Contains:

Vitamin A	300 IU
Vitamin D	30 IU
Calcium Hypophosphite	150 mg
Potassium Sorbate in a base 0.11%(w/w)	
Flavoured syrupy base	q.s.



300 ml

Indication: Dietary Supplement

MEBEDOL

Mebendazole Oral Suspension USP 100mg/5ml

Each 5 ml contains :

Mebendazole USP	100 mg
Flavoured Syrupy Base	q.s.
Colour: Quinoline Yellow	



30 ml


Indication: Intestinal worm infections such as pinworm, roundworm, and hookworm

COTRIMET

Co-Trimoxazole Oral Suspension BP 240mg/5ml

Each 5 ml contains :

Trimethoprim BP	40 mg
Sulfamethoxazole BP	200 mg
Excipients	q.s.
Flavoured Base	
Colour: Tartrazine	



100 ml

Indication: Bacterial infections of middle ear, urine, respiratory and intestinal infections.

GEBECORT

Hydrocortisone Sodium Succinate For Injection BP 100 mg

Each vial contains :

Hydrocortisone Sodium Succinate USP (Sterile)	Eq. to Hydrocortisone	100 mg
Anhydrous Disodium Phosphate BP	(As Buffering Agent)	
Sodium Acid Phosphate BP	(As Buffering Agent)	



1 x 25 Vials

Indication: Relieves Inflammation & Prevent allergic reactions

Herbloz (Ginger)

Composition:
 Each 2.5g Lozenge contains / Chaque pastille de 2.5 g contient:
 Karpura (Cinnamomum Camphora Nees & Eberm) 0.18 mg
 Pudina (Mentha Viridis) 5.75 mg
 Taila Parni (Eucalyptus Globulus Labili) 1.8 mg
 Yastimadhu (Glycyrrhiza glabra) 2.8 mg
 Flavoured Sugar Base (Base de sucre aromatisée) q.s.



2 X 12 & 20 X 6 Lozenges
 300 Lozenges/Jar

Indication: Sore Throat & Caugh Lozenges

Herbloz (Honey & Lemon)

Composition:
 Each 2.5g Lozenge contains / Chaque pastille de 2.5 g contient:
 Karpura (Cinnamomum Camphora Nees & Eberm) 0.18 mg
 Pudina (Mentha Viridis) 5.75 mg
 Taila Parni (Eucalyptus Globulus Labili) 1.8 mg
 Yastimadhu (Glycyrrhiza glabra) 2.8 mg
 Flavoured Sugar Base (Base de sucre aromatisée) q.s.



2 X 12 & 20 X 6 Lozenges
 300 Lozenges/Jar

Indication: Sore Throat & Caugh Lozenges

Herbloz (Mint)

Composition:
 Each 2.5g Lozenge contains / Chaque pastille de 2.5 g contient:
 Karpura (Cinnamomum Camphora Nees & Eberm) 0.18 mg
 Pudina (Mentha Viridis) 5.75 mg
 Taila Parni (Eucalyptus Globulus Labili) 1.8 mg
 Yastimadhu (Glycyrrhiza glabra) 2.8 mg
 Flavoured Sugar Base (Base de sucre aromatisée) q.s.



2 X 12 & 20 X 6 Lozenges
 300 Lozenges/Jar

Indication: Sore Throat & Caugh Lozenges

Herbloz (Orange)

Composition:
 Each 2.5g Lozenge contains / Chaque pastille de 2.5 g contient:
 Karpura (Cinnamomum Camphora Nees & Eberm) 0.18 mg
 Pudina (Mentha Viridis) 5.75 mg
 Taila Parni (Eucalyptus Globulus Labili) 1.8 mg
 Yastimadhu (Glycyrrhiza glabra) 2.8 mg
 Flavoured Sugar Base (Base de sucre aromatisée) q.s.



2 X 12 & 20 X 6 Lozenges
 300 Lozenges/Jar

Indication: Sore Throat & Caugh Lozenges

Gebemol-125

Acetaminophen Suppositories USP 125 mg

Each suppository contains:
 Acetaminophen USP 125 mg
 Excipients q.s.



2 X 5 Suppositories

Indication: Analgesic and antipyretic

Gebemol-250

Acetaminophen Suppositories USP 250 mg

Each suppository contains:
 Acetaminophen USP 250 mg
 Excipients q.s.



2 X 5 Suppositories

Indication: Analgesic and antipyretic

Gebemol-500

Acetaminophen Suppositories USP 500 mg

Each suppository contains:
 Acetaminophen USP 500 mg
 Excipients q.s.



2 X 5 Suppositories

Indication: Analgesic and antipyretic

Gebemol-1000

Acetaminophen Suppositories USP 1000 mg

Each suppository contains:
 Acetaminophen USP 1000 mg
 Excipients q.s.




2 X 5 Suppositories

Indication: Analgesic and antipyretic

Gebediclo - 50

Diclofenac Sodium Suppositories 50 mg

Each suppository contains:
 Diclofenac Sodium BP 50mg
 Excipients q.s.



2 X 5 Suppositories

Indication: Nonsteroidal anti-inflammatory

Gebediclo - 100

Diclofenac Sodium Suppositories 100 mg

Each suppository contains:
 Diclofenac Sodium BP 100mg
 Excipients q.s.



2 X 5 Suppositories

Indication: Nonsteroidal anti-inflammatory

TIM TIM EYE DROP

Timolol Maleate Ophthalmic Solution USP 0.5% w/v

Composition:
 Timolol Maleate USP 0.5% w/v
 Eq. to Timolol 0.5% w/v
 Benzalkonium Chloride BP 0.005% w/v
 (As Preservative) Q.S.
 Sterile Aqueous Vehicle Q.S.



5 ml

Indication: Ocular Hypertension or open angle glaucoma

VISIONOL

Carmellose Sodium Eye Drop BP 0.5% w/v

Composition:
 Carmellose Sodium BP 0.5% w/v
 (Carboxymethylcellulose Sodium) 0.5% w/v
 Stabilized Oxychloro 0.005% w/v
 Complex Q.S.
 Sterile Aqueous Vehicle Q.S.



10 ml

Indication: Relieves Eye Dryness & Soreness

AMIDERM PLUS

Cream Triple Action

Composition:
 Betamethasone Dipropionate USP
 Eq. to Betamethasone 0.05% w/w
 Neomycin Sulfate USP 0.5% w/w
 Clotrimazole USP 1.0% w/w
 Cream Base Q.S.



30 gm

Indication: Fungal Skin Infections

AMIDERM CREAM

Each gram contains:
 Betamethasone valerate BP 0.61 mg
 Gentamicin Sulfate BP 1 mg
 Tolnaftate BP 10 mg
 Cloiquinol BP 10 mg
 Cream base q.s.



15 gm / 30 gm

Indication: Bacterial and fungal infections of mixed type, Skin infection

LEORUB

Composition:
 Linseed oil BP 3.0% w/w
 Diclofenac Diethylamine BP 1.16% w/w
 Eq. to Diclofenac sodium BP 1.0% w/w
 Menthol BP 5.0% w/w
 Methyl Salicylate BP 10% w/w
 Benzyl alcohol (As preservative) BP 1.0% w/w
 Gel base q.s.



15 gm / 30 gm

Indication: Back Pain, Myalgie, osteoarthritis.

GEBEDICLO GEL

Diclofenac Gel BP 1% w/w

Composition:
 Diclofenac Diethylamine BP 1.16% w/w
 Eq. to Diclofenac Sodium BP 1% w/w
 Gel Base q.s.



30 gm

Indication: Joint pain

Max Heat Rub Cream

Composition:

Methyl Salicylate BP	15.00% w/w
Menthol BP	10.00% w/w
Turpentine Oil BP	2.00% w/w
Eucalyptus Oil BP	2.00% w/w
Camphor BP	3.00% w/w
Cream Base	Q.S.



30 gm

Indication: Provides relief in aches and pains of joint and muscles in conditions like arthritis backaches, sprains, fibrositis & sciatica.

CLOSOL

Clobetasol Cream BP 0.05% w/w

Composition :

Clobetasol Propionate	BP 0.05% w/w
Cream Base	q.s.



30 gm

Indication: Inflammation.

NAZ-EAZE

Xylometazoline Nasal Drops BP 0.1% w/v



Indication: Decongestant

NAZ-EAZE

Xylometazoline Nasal Drops BP 0.05% w/v



Indication: Decongestant

10 ml



GB PHARMA LIMITED
 65 Chatsworth Road, London NW2 4BG,
United Kingdom
 Tel.: +44 (0) 20 8830 1057, Fax.: +44 (0) 20 8830 4807,
 E-mail : info@gbpharma.co.uk